INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of mailing

(day/month/year)

02.12.2004

Applicant's or agent's file reference

BASELL POLYOLEFINE GMBH Intellectual Property Departement

Carl-Bosch-Strasse 38, F206

D-67056 Ludwigshafen

LU6059/CB

ALLEMAGNE

IMPORTANT NOTIFICATION

International application No.

PCT/EP 03/11678

International filing date (day/month/year) 22.10.2003

Priority date (day/month/year)

25.10.2002

Applicant

BASELL POLYOLEFINE GMBH et al.

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Authorized Officer

Ullrich, J

Tel. +49 89 2399-8048



Parik Miller, 15, 12.04

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

REC'D	03	DEC	2004
WIPO			CT

Applicant's or agent's file reference LU6059/CB			nt's file reference	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
International application No. PCT/EP 03/11678				International filing date (a 22.10.2003	daylmon	th/year)	Priority date (day/month/yea 25.10.2002	()
Intern	International Patent Classification (IPC) or both national classification and IPC							
C08	C08F4/60							
Applie	Applicant							
		POLY	OLEFINE GMBH et	al.				
<u> </u>							<u> </u>	
1.	. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.					nining		
İ								
2.	This	REP	ORT consists of a total of	of 5 sheets, including th	is cove	r sheet.		
	⊠	Thic	report is also accompa	nled by ANNEXES is	sheets	of the description	on, claims and/or drawings	which have
		beer	n amended and are the l	basis for this report and	for shee	ets containing re	ectifications made before tl	nis Authority
		•	Rule 70.16 and Section		ve msu	uctions under i	J,	
	Thes	e anr	nexes consist of a total of	of 13 sheets.			* * * * * * * * * * * * * * * * * * * *	•
3.	This	repor	t contains indications re	elating to the following ite	ems:			
	1	⋈	Basis of the opinion			,	•	
	il		Priority				• •	
1	111		Non-establishment of	opinion with regard to n	ovelty, i	nventive step a	and industrial applicability	•
	IV		Lack of unity of invent	ion				
	V 🛮 Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				pplicability;			
	VI		Certain documents cit	ed				
	VII			International application				
	VIII		Certain observations of	on the international appl	ication	,		•
Date of submission of the demand Date of completion of this report								
07.0	07.05.2004				02.12	2.2004		
Nam	ne and	mailin	g address of the Internation	nal ·	Author	ized Officer		nebes Patentes
preli	minary	Fu	ining authority: ropean Patent Office	•.		•		111
	9))	D-	80298 Munich 1. +49 89 2399 - 0 Tx: 5236	S56 enmu d	Elliot	t, A		
	<u> </u>	Fa	x: +49 89 2399 - 4465	ou apinia a	Teleph	none No. +49 89	2399-8218	And of the sales
1					ı		_	_ "

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/11678

 Basis of the repo 	ort	p	rer	the	of	Basis	I.
---------------------------------------	-----	---	-----	-----	----	-------	----

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Doc	orintion Dagge					
	Description, Pages		as originally filed				
	1-33	•	as originally med				
	Clair	ms, Numbers					
	1-15	•	filed with telefax on 26.08.2004				
2.	With lang	With regard to the language , all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.					
	The	se elements were ava	ailable or furnished to this Authority in the following language: , which is:				
		the language of a tra	nslation furnished for the purposes of the international search (under Rule 23.1(b)).				
	the language of publication of the international application (under Rule 48.3(b)).						
			nslation furnished for the purposes of international preliminary examination (under				
з.	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:						
		contained in the inter	mational application in written form.				
		filed together with the	e international application in computer readable form.				
		furnished subsequer	ntly to this Authority in written form.				
		furnished subsequer	ntly to this Authority in computer readable form.				
		The state of the s					
		The statement that the listing has been furn	he information recorded in computer readable form is identical to the written sequence ished.				
4.	4. The amendments have resulted in the cancellation of:						
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				
5	This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).						
		(Any replacement se report.)	heet containing such amendments must be referred to under item 1 and annexed to this				
6	. Ad	ditional observations,	if necessary:				

- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N) Yes: Claims 1-15

No: Claims -

Inventive step (IS) Yes: Claims 1-15

No: Claims -

Industrial applicability (IA) Yes: Claims 1-15

No: Claims -

2. Citations and explanations

see separate sheet

The application relates to racemic metallocenes of formula (I), to methods for their preparation and to their use as a catalyst or as a constituent of a catalyst for the polymerisation of olefinically unsaturated compounds or a reagent or catalyst in stereoselective synthesis.

The following documents are referred to in this report:

- EP-A-1 275 662 (SUMITOMO CHEMICAL CO) 15 January 2003 & WO 02/051878 a (SUMITOMO CHEM CO LTD) 4 July 2002
- EP-A-0 997 480 (MARUZEN PETROCHEM CO LTD) 3 May 2000 D2:
- WARTCHOW, RUDOLF ET AL: 'Synthesis and characterization of rac-[ethylene-1,2-bis(η⁵-4,5,6,7- tetrahydro-1indenyl)]zirconium bisamides (EBTHI)Zr(NHR)2' JOURNAL OF ORGANOMETALLIC CHEMISTRY (1998), 566(1-2), 287-291
- WO 02/00672 A (BASELL POLYOLEFINE GMBH) 3 January 2002 D4:
- BOCHMANN, MANFRED ET AL: 'Base-free cationic zirconium benzyl complexes as highly active polymerizationcatalysts' ORGANOMETALLICS (1993), 12(3), 633-40
- Reasoned statement under Art 35(2) with regard to novelty, inventive step and V industrial applicability; citations and explanations supporting such statement

Novelty (Article 33(2) PCT) V.i

With the subject-matter of the claims being restricted to compounds where the metal is selected from titanium, zirconium and hafnium and, more importantly, where Y is Oxygen, novelty can be acknowledged over the prior art (the subject-matter of claims 3-5,7,9 & 16 as originally filed was not considered new with respect to document D3, in particular compound 3a and its use described in D3).

Inventive Step (Article 33(3) PCT) V.ii

The subject-matter of claims 1-16 is to be regarded as being based upon an inventive step on the following grounds:

although documents D1 (here it is assumed that the EP version in English corresponds to the WO version in Japanese) and D2 given generic disclosures of the presently-claimed compounds (cf. D1, the whole document concentrating on the definitions given or X, especially those definitions given in paragraphs [0193] and [0195] and D2, paragraphs [0011] and [0019]) and their use, D1 and D2 fail to disclose how to prepare solely the racemic form of the compounds as compared to a mixture of the racemic and meso forms. The fact that the present inventors have achieved a process to prepare the presently-claimed compounds which are solely in **EXAMINATION REPORT - SEPARATE SHEET**

the racemic form is an indication of the inventive merit of the presently-claimed subject-matter. The method in which the racemic metallocenes are prepared in D3 is fundamentally different to that of the present application as a racemic zirconocene dichloride is reacted with an amide - compare that with the present application which takes a diphenoxy metal compound and reacts this with the dicyclopentadienyl compound which by the presently-claimed method produces the racemic metallocene without the need for a racemic metallocene as a starting material.

Other matters:

Documents D1-D5 should be briefly discussed in the description (Rule 5.1(a)(ii) PCT).

We claim:

1. A process for preparing racemic metallocene complexes of the formula (I)

10

5

$$R^{1}$$
 R^{1}
 15

20 where

T


25

is a divalent group such as

30

35

and



is a divalent group such as

and the substituents and indices have the following meanings:

20 M is titanium, zirconium or hafnium,

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R¹¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹ are identical or different and are each hydrogen, halogen, C₁–C₂₀–alkyl, 3– to 8–membered cycloalkyl which may in turn bear a C₁–C₁₀–alkyl group as substituent, C₆–C₁₅–aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, -OR¹³, -SR¹³, -N(R¹³)₂, -P(R¹³)₂, or Si(R¹³)₃, where

are identical or different and are each C₁-C₁₀-alkyl, C₆-C₁₅-aryl, C₃-C₁₀
cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully substituted by heteroatoms,

 R^8 , R^{12} , R^{6} , R^{12} are identical or different and are each C_1 - C_{10} -alkyl,

35 Y are oxygen -O-

10

15

 R^7 is a -[Z(R^{15})(R^{16})]_m- group, where

Z can be identical or different and are each silicon, germanium, tin or carbon,

 R^{15} , R^{16} are each hydrogen, C_1 - C_{10} -alkyl, C_3 - C_{10} -cycloalkyl or C_6 - C_{15} -aryl,

m is 1, 2, 3 or 4,

by reacting a transition metal complex of the formula (II)

$$R^{10}$$
 R^{11}
 R^{11}
 R^{11}
 R^{10}
 R^{9}
 R^{9}
 R^{8}
 R^{8}
 R^{8}
 R^{12}
 R^{12}
 R^{12}
 R^{13}
 R^{13}

20

25

30

35

where

X

n

are identical or different and are each hydrogen, halogen, C_1 – C_{10} –alkyl, C_6 – C_{15} –aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, $-OR^{17}$ or $-NR^{17}_2$, where R^{17} are identical or different and are each C_1 – C_{10} –alkyl, C_6 – C_{15} -aryl, C_3 – C_{10} -cycloalkyl, alkylaryl, is an integer from 1 to 4 and corresponds to the valence of M minus 2,

with cyclopentadienyl derivatives of the formula (III)

10

15

5

$$\begin{bmatrix} & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

20

25

where

M²

is an alkali metal ion or alkaline earth metal ion,

and

р

is 1 when M^2 is an alkaline earth metal ion and is 2 when M^2 is an alkali metal ion,

and heating the resulting reaction mixture to a temperature in the range from -78 to +250°C.

30

35

2. A process as claimed in claim 1 for preparing racemic metallocene complexes of the formula (i)

5

10

15

where

20

(l)

25 is a divalent group such as

30

and

35

15

20

25

is a divalent group such as

10 and the substituents and indices have the following meanings:

M is titanium, zirconium or hafnium,

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R^{1'}, R^{2'}, R^{3'}, R^{4'}, R^{5'}, R^{6'}, R^{9'}, R^{10'}, R^{11'} are identical or different and are each hydrogen, halogen, C₁–C₂₀–alkyl, 3– to 8–membered cycloalkyl which may in turn bear a C₁–C₁₀–alkyl group as substituent, C₆–C₁₅–aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part,

-OR¹³, -SR¹³, -N(R¹³)₂, -P(R¹³)₂ or Si(R¹³)₃, where

are identical or different and are each C₁-C₁₀-alkyl, C₆-C₁₅-aryl, C₃-C₁₀
cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully substituted by heteroatoms,

R⁸, R¹², R⁸, R¹² are identical or different and are each C₁-C₁₀-alkyl,

Y are oxygen -O-

35

30

$$R^7$$
 is a -[Z(R^{15})(R^{16})]_m- group, where

Z can be identical or different and are each silicon, germanium, tin or carbon,

R¹⁵, R¹⁶ are each hydrogen, C₁-C₁₀-alkyl, C₃-C₁₀-cycloalkyl or C₆-C₁₅-aryl,

m is 1, 2, 3 or 4,

10 comprising the following steps:

a) deprotonation of a compound of the formula (IV)

$$R^2$$
 R^2
 $R^{1'}$
 $R^{1'}$
 $R^{2'}$
 $R^{1'}$

20

15

25

30

35

10

15

20

25

by means of a suitable deprotonating agent;

b) reaction of the deprotonated compound (IV) with a compound R⁷Hal₂, where Hal is a halogen substituent such as F, Cl, Br or I, and subsequent repeat deprotonation by means of a suitable deprotonating agent to give the compound of the formula (III)

ĺ

(III)

where

M²

is an alkali metal ion or alkaline earth metal ion,

where

р

is 1 when M^2 is an alkaline earth metal ion and is 2 when M^2 is an alkali metal ion, and R^7 is as defined above;

 reaction of the compound of the formula (III) with a transition metal complex of the formula (II)

30

35

(II)

where

Χ

are identical or different and are each hydrogen, halogen, C_1 – C_{10} –alkyl, C_5 – C_{15} –aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, $-OR^{17}$ or- NR^{17}_2 , where R^{17} are identical

to 20 carbon atoms in the aryl part, $-OR^{17}$ or $-NR^{17}_{21}$ where R^{17} are identical or different and are each C_1 - C_{10} -alkyl, C_5 - C_{15} -aryl, C_3 - C_{10} -cycloalkyl, alkylaryl, is an integer from 1 to 4 and corresponds to the valence of M minus 2, and the other substituents are as defined above.

5

n

3. A racemic metallocene complex of the formula (I)

20

where

25

(l)

30

is a divalent group such as

40

and



is a divalent group such as

10

15

and the substituents and indices have the following meanings:

20

is titanium, zirconium or hafnium, M

25

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R¹¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹ are identical or different and are each hydrogen, halogen, C1-C20-alkyl, 3- to 8-membered cycloalkyl which may in turn bear a C1-C10-alkyl group as substituent, C6-C15aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, -OR 13 , -SR 13 , -N(R 13)₂, -P(R 13)₂ or Si(R 13)₃, where

30

are identical or different and are each C_1 - C_{10} -alkyl, C_6 - C_{15} -aryl, C_3 - C_{10} cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully substituted by heteroatoms,

R¹³

 R^8 , R^{12} , R^{8° , R^{12° are identical or different and are each C_1 - C_{10} -alkyl,

35

are oxygen -O-

3-2004

 $R^{7} \qquad \text{is a -} \{Z(R^{15})(R^{16})\}_{m^{-}} \text{ group, where}$ $Z \qquad \text{can be identical or different and are each silicon, germanium, tin or carbon,}$ $R^{15}, R^{16} \qquad \text{are each hydrogen, } C_{1^{-}}C_{10^{-}}\text{alkyl, } C_{3^{-}}C_{10^{-}}\text{cycloalkyl or } C_{6^{-}}C_{15^{-}}\text{aryl,}$ and $m \qquad \text{is 1, 2, 3 or 4.}$

10

4. A process or complex as claimed in any of the preceding claims, wherein the substituents R⁸, R^{8'} and R¹², R^{12'} are identical and are selected from among methyl, ethyl, n-propyl, i-propyl, n-butyl, sec-butyl and tert-butyl, particularly preferably methyl.

15


A process or complex as claimed in any of the preceding claims,
 wherein the substituents R¹ and R^{1'} are identical or different and are each hydrogen or methyl.

20

25

30

35



15

20

- A process or complex as claimed in any of the preceding claims, wherein M is zirconium.
- A process or complex as claimed in any of the preceding claims, wherein M² is magnesium or lithium.
 - A process or complex as claimed in any of the preceding claims, wherein R⁷ is a dimethylsilyl group or an ethanediyl group.
 - A process as claimed in any of claims 1, 2 and 4 to 8,
 wherein, in a further step, the compound of the formula (I) is reacted with suitable replacement reagents to replace at least one of the groups

by halogen substituents such as F, Cl, Br or I or by linear, branched or cyclic C_{1-10} -alkyl substituents.

A process as claimed in claim 9, 25 10. wherein the replacement reagents are selected from among aliphatic and aromatic carboxylic acid halides such as acetyl chloride, phenylacetyl chloride, 2-thiophenacetyl chloride, trichloroacetyl chloride, trimethylacetyl chloride, O-acetylmandelyl chloride, 1,3,5-benzenetricarboxylic chloride, 2,6-pyridinecarboxylic chloride, tert-butylacetyl chloride, chloroacetyl chloride, 4-chlorobenzacetyl chloride, dichloroacetyl chloride, 3-methoxyphenyla-30 cetyl chloride, acetyl bromide, bromoacetyl bromide, acetyl fluoride, benzoyl fluoride, SOCl₂, silicon tetrachloride, organoaluminum compounds such as tri-C₁-C₁₀alkylaluminums, in particular trimethylaluminum, triethylaluminum, tri-n-butylaluminum, triisobutylaluminum, and dialkylaluminum chlorides, aluminum sesquichlorides, methylaluminum dichloride, dimethylaluminum chloride, aluminum trichloride and ethylaluminum dichlo-35 ride and combinations thereof.

- 11. A process as claimed in claim 9, wherein replacement reagents used are HF, HBr, HI, preferably HCI, as such or as solutions in water or organic solvents such as diethyl ether, DME or THF.
- 12. A process as claimed in any of claims 1, 2 and 4 to 11,
 wherein the deprotonating agent is selected from among n-butyllithium, tert-butyllithium,
 sodium hydride, potassium tert-butoxide, Grignard reagents of magnesium, magnesium
 compounds such as, in particular, di-n-butylmagnesium, (n,s)—dibutylmagnesium and other
 suitable alkaline earth metal alkyl and alkali metal alkyl compounds.
 - A process as claimed in any of claims 1, 2 and 4 to 12,
 wherein no intermediates are isolated during the process.
- 15. 14. A complex as claimed in claim 3 selected from among dimethylsilylbis(1-indenyl)zirconium bis(2,4,6-trimethylphenoxide), dimethylsilylbis(2-methyl-1-indenyl)zirconium bis(2,4,6-trimethylphenoxide), dimethylsilylbis(2-methyl-1-indenyl)zirconium bis(2,6-dimethyl-4-dimethylphenoxide), dimethylsilylbis(2-methyl-1-indenyl)zirconium bis(2,6-dimethyl-4-bromophenoxide) and ethanediylbis(1-indenyl)zirconium bis(2,4,6-trimethylphenoxide).
- The use of a racemic metallocene complex as claimed in any of claims 3 to 8 and 14 as a catalyst or as a constituent of a catalyst for the polymerization of olefinically unsaturated compounds or as a reagent or catalyst in stereoselective synthesis.

5

10

30

35